


# RCRA READY FOR ANTICIPATED USE (RAU) DOCUMENTATION FORM, 2013

	United States <b>ENVIRONMENTAL PROTECTION AGENCY</b> Washington, DC 20460
<b>PART A – GENERAL FACILITY INFORMATION</b>	
1. Facility Name CentralWire/Techalloy	2. EPA ID ILD005178975
3. Street Address 6509 Olson Rd.	
4. City Union	5. State Illinois
6. Zip Code 60180-0423	
7. Project Manager John Nordine	8. Organization Region 5
<b>PART B – READY FOR ANTICIPATED USE DETERMINATION</b>	
9. This RAU Determination is for:  <input checked="" type="checkbox"/> Facility-wide Designation, Number of Acres at Facility 40 acres; or  <input type="checkbox"/> Area Designation – Area defined in RCRA INFO as Number of Acres in Area	
10. Protective for People under Current Conditions Requirements.  <input checked="" type="checkbox"/> A Current Human Exposure Under Control Environmental Indicator (CA 725) determination has been made.  Date of Determination 12/13/2001	
11. Cleanup Goals for Media That Affect Land Use Have Been Achieved  <input checked="" type="checkbox"/> All final cleanup goals in the remedy selection document or other decision document(s), that may affect current and reasonably anticipated future <b>land</b> uses have been achieved. (See RCRA Land Revitalization guidance for more specific information.)  Documentation CA550 08/27/2002, site is in use as a Facility that manufactures redrawing wire.  Documentation may include a construction complete determination (550), Completion Determination (CA999), no further action letter, comfort letter, Interim Measures Report, RFI Report or other documents.	

**12. Institutional Controls Status**



- ☐ All acres covered by this RAU form meet the requirement for unrestricted use for all media and no institutional controls are necessary, **or**
- ☒ All institutional controls or other administrative controls (e.g. orders, permit, written agreement) required in the remedy decision document or other decision document(s) have been put in place.

List any contaminated media and use restrictions on facility or acres being considered for RAU:  
Solvents TCE and PCE in Groundwater on- and off-site and asphalt cap at 101,125 square feet.

Identify Institutional Controls implemented at the facility (each of these should be entered into RCRAInfo, CA772 event code): Solvents TCE and PCE in Groundwater use restrictions on- and off-site and asphalt cap at 101,125 square feet  
CA772 08/27/2002

**PART C – SIGNATURE**

NOTE: The outcome of this Property Reuse Evaluation does not have any legally binding effect and does not expressly or implicitly create, expand, or limit any legal rights, obligations, responsibilities, expectations, or benefits of any party. EPA assumes no responsibility for reuse activities and/or any potential harm that might result from reuse activities. EPA retains any and all rights and authorities it has, including but not limited to legal, equitable, or administrative rights. EPA specifically retains any and all rights and authorities it has to conduct, direct, oversee, and/or require environmental response actions in connection with the facility, including but not limited to instances when new or additional information has been discovered regarding the contamination or conditions at the facility that indicates that the response and/or the conditions at the facility are no longer protective of human health or the environment.

13. Project Manager John Nordine	14. Signature 	15. Date 01/25/2018
16. Supervisor Tammy Moore	17. Signature 	18. Date 2/8/18

**PART D – REMOVAL OF ACRES FROM READY FOR ANTICIPATED USE DETERMINATION****19. Retraction of RAU Determination**

- ☐ RAU Determination retracted for entire facility, or
- ☐ RAU Determination retracted for area.  
Area Name  
Number of acres

Reason:

20. Project Manager	21. Signature	22. Date
23. Supervisor	24. Signature	25. Date